





NETWORK







Lexmark X650 Series

Lexmark X651de

Lexmark X652de Lexmark X654de

Lexmark X656de

Lexmark X656dte



Print Less. Save More.

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend, on average, up to 6% of their revenue on printing and active print management can cut office print costs by up to 30%¹, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

(1) Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008

The Lexmark X650 Series packs more benefits than ever into a high-performance, space-saving multifunction laser. Power up your workgroup with reliable, ultra-fast printing and copying. Boost productivity with superior color-scanning capabilities and efficient workflow solutions. And experience smart, new ways to lower costs while reducing the environmental impact of printing.



Enhance workflow performance!

There are enough things that can slow you down in a day – your documents shouldn't be one of them. Powerful print speeds and intelligent time-saving features team up to make your workday fully efficient and productive.

- Delivers up to 55 prints, copies or scans per minute
- Rapid high-quality duplex scanning in monochrome and color
- Optimized workflow capabilities with flexible scan destinations and formats
- Hard-disk models support advanced features, like on-screen scan previews

 Includes advanced faxing with time-saving shortcuts (fax is optional on Lexmark X651de)



Outstanding versatility

One size never fits all. That's why Lexmark offers you more options, more versatility and more functionality for a truly customized solution. Choose from a wide range of flexible features to achieve a perfect fit for your business.

- Input options let you load up to 3,200 sheets
- Customizable touch screen for simple one-touch operation
- MyMFP lets users personalize the touch screen with the functions and shortcuts they use most
- Lexmark's Embedded Solutions Framework enables your MFP to be tailored for workflow efficiency



Cutting-edge security

The Lexmark X650 Series is equipped with state-of-the-art security to protect your valuable corporate data. It also features customizable user-access controls, allowing you to enable or disable functions with ease.

- IPSec, SNMPv3 and 802.1x network security
- Secure data encryption and disk wiping
- Industry-leading access restrictions, including LDAP
- Proactively tracks and identifies security risks

Prints black, thinks green

Lexmark multifunction technology makes it easy to reduce the amount of information you print, copy and distribute in hardcopy format. You'll save time, costs and office space, while powering fewer devices. You can also significantly reduce cartridge waste by using Lexmark's high-yield and extra-high-yield print cartridges, which boast extraordinary page yields – up to $36,000^*$ pages.

- Eco-Mode reduces power consumption
- Built-in duplex printing saves paper
- 25,000*-page and 36,000*-page print cartridges reduce waste as well as keep your cost per page low
- Lexmark Cartridge Collection Program offers fast, free and easy recycling





Explore the features that keep you moving



Loads of benefits packed into one device!

What can device consolidation do for your business?

If you're still struggling between multiple devices across your office – printers, scanners, copiers and fax machines – then your true productivity potential is still far out of reach. But with Lexmark, there's an easy fix!

Solidly robust and competitively fast, Lexmark's industry-leading MFPs allow you to unite all your critical document functions into one high-performance device.

And the benefits go far!

You'll optimize office space and save money on hardware, consumables, service contracts and even electricity.

The Productivity Checklist If you've got all these, then you've got a Lexmark!



Enormously intuitive touch screen

The incredibly large, fully featured color touch screen gives you fast, easy access to document capture and workflow functions. Tailor it to your business requirements with the icons and shortcuts you need most. You can even change the background image to whatever suits you best, like your own loan.



Efficient traffic shaping

When you e-mail a large file from your Lexmark X650 Series MFP, it won't cause a traffic jam on your network. That's because traffic-shaping technology can partition your network traffic and designate lower bandwidth for outbound flows. This is especially useful for busy networks and externally hosted Web servers.

On-screen scan previews

Before you scan and e-mail an important image file, see how it looks and fits on the page. Should it be in color or black and white? Is the page orientation correct? Are you sure you scanned the correct side of the page? You may also want to check the file size of the scanned document before you save it or forward it. The Lexmark X650 Series lets you preview your scan and note the file size, saving you time and eliminating errors (hard disk required).

Multitalented copying

Benefit from a rich range of advanced copy functions to boost your productivity, such as Priority Copy to temporarily interrupt long print runs; ID Card Copy to copy both sides of a card on a single sheet; Sample Copy to proof the first copy set before printing the remaining copies; and Remote Copy, which you can use to scan color documents on your monochrome Lexmark X650 Series MFP and retrieve them from a Lexmark color laser printer.

Personalized user settings

A real efficiency booster, Lexmark's new MyMFP feature lets multiple users save and re-access their personal settings on a simple flash drive, including their local address book, personal fax numbers, individual copy settings, and even their own touch-screen configuration. They simply walk up to the MFP, slide in their flash drive and the MFP literally transforms into their own personal device. A warm welcome each time they use it!

Effortless manageability

Take a load off your help desk. These printers are network-ready and very easy to set up. If you're installing multiple Lexmark laser devices, the Lexmark Universal Driver offers even easier deployment. Once you're up and running, Lexmark's free remote management software, Lexmark MarkVision™ Professional, keeps the workday flowing.

Lexmark's Embedded Solutions Framework

Experience more productivity than you could ever imagine! Lexmark new MFPs come solutions-ready, so you can easily opt for one of Lexmark's leading workflow-enhancing applications, such as Remote Copy, embedded Document Accounting Solution, and more. These solutions are specially designed to help you lower costs, analyze usage patterns, expand your functionality and move information more efficiently throughout your enterprise. To find out how multifunction solutions can boost your performance, call your Lexmark representative today.



Get exactly the performance you need









Lexmark X651de

- Includes print, copy and scan functions
- Up to 45 ppm, as fast as 8 seconds to first page
- Customizable 7" color touch screen
- Recommended monthly volume: 3,000 to 20,000 pages
- 650-sheet standard input, 550sheet output capacity
- Ships with 7,000*-page Return Program Print Cartridge
- Lexmark High Yield Print Cartridge available (25,000* pages)

Lexmark X652de

Same as X651de but also includes:
• High-speed faxing

Lexmark X654de

- Up to 55 ppm, as fast as 9.5 seconds to first page
- Automatic document feeder holds up to 75 sheets and scans both sides of your document in one pass
- Extra-large 9" color touch screen
- Recommended monthly volume:
 5,000 to 30,000 pages
 Ships with an 18,000*-page
- Ships with an 18,000*-page
 Return Program Print Cartridge
- Lexmark Extra High Yield Print Cartridge available (36,000* pages)

Lexmark X656de

Same as X654de but also includes:

• 80GB hard disk for expanded functionality

Lexmark X656dte

Same as X656de but also includes:
• Added 550-sheet drawer for

 Added 550-sheet drawer for 1,200-sheet total input capacity

Printing Monochrome Laser Print Technology Monochrome Laser Print Speed (Letter, Black): Up to 45 ppm 55 ppm 55 ppm		Layres and WOFO dis	Lovenord VCECdo	Layrond VCECalta	
Pict Technology		Lexmark X652de	Lexmark X656de	Lexmark X656dte	
Print Speed (Letter, Black): Up to 45 com 55 com	Printing				
Time to Fine Page (Back)	Print Technology		Monochrome Laser		
Pint Resolution, Black	Print Speed (Letter, Black): Up to	45 ppm	55 ppm	55 ppm	
Memory, Mariandard	Time to First Page (Black)	As fast as 8.0 seconds	As fast as 9.5 seconds	As fast as 9.5 seconds	
Memory, Maintains	Print Resolution, Black	1200 lma	ge Quality, 1200 x 1200 dpi, 2400 lmage Quality, 600	x 600 dpi	
Memory Assimum	Memory, Standard				
Print Notes Level, Up to 20.0000 pages per morth 27.0000 pages per per morth 27.0000 pages per	Memory, Maximum				
Noise Level, Iride		54 dBA		56 dBA	
Maximum Monthly Duty Outs (19 to 10000 pages per month 275000 pages per month 20000 pages per month 20000 pages 200000 pages 20000 pages 20000 pages 200000 pages 20000 pages 200000 pages 20000 pages 20000 pages 20000 pages 200	<u> </u>	0.00.		00 45.1	
Recommended Monthly Page Volume 2007 - 20070 pages 2007 - 20070 pages 20070 pages 20070 - 20070 pages 20070 pages 20070 - 20070 pages 20	· · · · · · · · · · · · · · · · · · ·	200000 pages per month		275000 nages per month	
Supplies Yield			1 0 1		
20.007_sage High Yeal Print Cardioge		3000 - 20000 pages	5000 - 30000 pages	5000 - 30000 pages	
standard rapp yeld wise declared in accordance with SC/IEC 19782, 7,000-page Pitra Carridge and SC/IEC 19782, 7,000-page Pitra High Yeld Pitra Carridge and Sc/IEC 19782, 7,000-page Pitra High Yeld Pitra Carridge and Sc/IEC 19782, 7,000-page Pitra High Yeld Pitra Pit		T			
with SOURC 19782, 7,0000-page Prior Cardidge 80.000-page Eras High Yeals Print Cardidge 80.000-page Eras High Yeal Print Cardid	Supplies Yield				
Cartridge(s) Shipping with Product 7,000*-page Return Program Pert Cartridge 18,000*-page Stater Return Program Pert Cartridge Copying Copy Speed (Letter, Black): Up to 45 cpm 55 cpm 55 cpm 55 cpm 55 cpm 55 cpm 55 cpm 56 cpm 57 cpm 58 cp					
Cartridge(s) Shipping with Product		with ISO/IEC 19752., 7,000*-page Print Cartridge	with ISO/IEC 19752., 7,000*-page Print Cartridge,	with ISO/IEC 19752., 7,000*-page Print Cartride	
Copying Copy Speed (Letter, Black): Up to 45 cpm 55 cpm 55 cpm 55 cpm Scanning Scanning Resolution 50 00 00 00 00 00 00 00 00 00 00 00 00			36,000*-page Extra High Yield Print Cartridge	36,000*-page Extra High Yield Print Cartridge	
Copying Copy Speed (Letter, Black): Up to 45 cpm 55 cpm 55 cpm 55 cpm Scanning Scanning Resolution 50 00 00 00 00 00 00 00 00 00 00 00 00					
Copying Copy Speed (Letter, Black): Up to 45 cpm 55 cpm 55 cpm 55 cpm 55 cpm Scanning Scanning Reduce / Enlarge Range 525 400 % Fashing Modem Speed 9 33.6 ktpps Paper Handling Paper Handling Standard 1 Registed Duplex, 100-Sheet Multipurpose Fasiotic, 550-Sheet Input Ting, 550-	Cartridge(s) Shipping with Product	7,000*-page Return Program Print Cartridge	18,000*-page Starter Return Program Print	18,000*-page Starter Return Program Print	
Second S			Cartridge	Cartridge	
Scanning Resolution Reduce / Enlarge Range Faxing Reduce / Enlarge Range Scanning Reduce / Enlarge Range Scanning Standard Scanning Reduce / Enlarge Range Reduce / Enlarge Re	Copying				
Seaning Resolution	Copy Speed (Letter, Black): Up to	45 cpm	55 cpm	55 cpm	
Seaning Resolution	Scanning				
Reduce / Enlarge Range Faxing Modem Speed 3.6 Kbps Paper Handling Paper Handling Paper Handling Standard Paper Handling Optional 4.00 Sheet Input Tiay, 550 Sheet Output Bin 650 pages 20 bor 75 gem bond 400 Sheet Universally Adjustable Tiay with Drawer, 550 Sheet Drawer, 250		600 X 600 dni (hlack)			
Faxing Modem Speed 33.6 Kips Paper Handling Paper Handling Standard Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Duplex, 100-She					
Modem Speed 33.6 kt/ps Paper Handling Paper Handling Paper Handling Standard Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Input Tray, 550-Sheet Output Feeder, 550-			23 - 400 %		
Paper Handling Paper Handling Standard Integrated Duplex, 100-Sheet Multipurpose Feeder, 550-Sheet Dupl	-				
Paper Handling Standard Integrated Duplex, 100 Sheet Multipurpose Feeder, 550 Sheet Multipurpose Feeder, 550 Sheet Input Tray, 550-Sheet Input Tray, 550-Sheet Input Tray, 550-Sheet Multipurpose Feeder, 550-Sheet Drawer, 550-Sh	·		33.6 Kbps		
Feeder, 550-Sheet Input Tray, 550-Sheet Output In South In South Input Tray, 550-Sheet I		T			
Bin Bin Bin Bin 550 Sheet Output Bin	Paper Handling Standard		-		
Paper Handling Optional 400 Sheet Universally Adjustable Tray with Drawer, 250 Sheet Drawer, 250 Sheet Drawer, Optional furniture required., 2,000 Sheet High-capacity Feeder Paper Input Capacity, Standard Paper Input Capacity, Maximum 3200 pages 20 lb or 75 gsm bond 4500 pages 20 lb					
Paper Input Capacity, Standard Paper Input Capacity, Maximum Sacopages 20 lb or 75 gsm bond Scopages 20 lb or 75 gsm bond Paper Output Capacity, Maximum Scopages 20 lb or 75 gsm bond Scopages 20 lb or 75 gsm bond Paper Output Capacity, Maximum Scopages 20 lb or 75 gsm bond Paper Output Capacity, Maximum Scopages 20 lb or 75 gsm bond Paper Output Capacity, Windows Paper Output Capacity, Windows Paper Output Capacity, Windows Operating Systems Supported Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Pan Paper, Polyester Labels, Transparencies, Virty Labels, Pefer to the Card Stock Bedia Sizes Supported Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Pan Paper, Polyester Labels, Transparencies, Virty Labels, Pefer to the Card Stock Bedia Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) PCL 5e Emulation, PCL 6 Emulation, Personal Pinter Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (MML Paper) Specification Standard Ports Elment 10/100BaseTX (RJ-45), One Internal Card Stot, USB 2.0 Specification H-Speed Cartified, USB port (Type A) compatible with USB 2.0 Specification Microsoft Windows Operating Systems Supported Microsoft Windows Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Mac OS X, Mac OS 9.x Mac OS X, Mac OS 9.x Mac OS X, Mac OS				'	
Paper Input Capacity, Maximum Paper Output Capacity, Standard Paper Output Capacity, Standard Paper Output Capacity, Maximum S50 pages 20 lb or 75 gsm bond Paper Putput Capacity, Maximum ADF Paper Input Capacity, Maximum S50 pages 20 lb or 75 gsm bond ADF Paper Input Capacity; Up to T6 pages 20 lb or 75 gsm bond Media Types Supported Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Pain Paper, Polyester Labels, Transparencies, Viryl Labels, Refer to the Card Ste & Label Guide Media Sizes Supported 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-85, Legal, Letter, Statement, Universal Compatibility Network Protocol Support TCP/IP IPv4, IPVXSPX, AppleTak™, LexLink (DLC), TCP/IP IPv6, TCP, UDP Printer Languages (Standard) PCL 5e Emulation, PCL 6 Emulation, Pensonal Printer Data Stream (IPPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (VML Pay Specification) Standard Ports Ethemet 10/100BaseTX (RJ-45), One Internal Card Stot, USB 2.0 Specification (Type A) compatible with USB 2.0 Specification (Type A) Microsoft Windows Operating Systems Supported 2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, Server 2003 x64, server 2003 x64 running Terminal Services, Server 2003 x64, server 2003 x64 vurning Terminal Services, Server 2003 x64, server 2003 x64 vurning Terminal Services, Server 2008 x64 running Terminal Services, Serv	Paper Handling Optional	400-Sheet Universally Adjustable Tray with Drawe	r, 550-Sheet Drawer, 250-Sheet Drawer, Optional furn	iture required., 2,000-Sheet High-capacity Feeder	
Paper Input Capacity, Maximum Paper Output Capacity, Standard Paper Output Capacity, Standard Paper Output Capacity, Maximum S50 pages 20 lb or 75 gsm bond Paper Putput Capacity, Maximum ADF Paper Input Capacity, Maximum S50 pages 20 lb or 75 gsm bond ADF Paper Input Capacity; Up to T6 pages 20 lb or 75 gsm bond Media Types Supported Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Pain Paper, Polyester Labels, Transparencies, Viryl Labels, Refer to the Card Ste & Label Guide Media Sizes Supported 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-85, Legal, Letter, Statement, Universal Compatibility Network Protocol Support TCP/IP IPv4, IPVXSPX, AppleTak™, LexLink (DLC), TCP/IP IPv6, TCP, UDP Printer Languages (Standard) PCL 5e Emulation, PCL 6 Emulation, Pensonal Printer Data Stream (IPPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (VML Pay Specification) Standard Ports Ethemet 10/100BaseTX (RJ-45), One Internal Card Stot, USB 2.0 Specification (Type A) compatible with USB 2.0 Specification (Type A) Microsoft Windows Operating Systems Supported 2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, Server 2003 x64, server 2003 x64 running Terminal Services, Server 2003 x64, server 2003 x64 vurning Terminal Services, Server 2003 x64, server 2003 x64 vurning Terminal Services, Server 2008 x64 running Terminal Services, Serv	Paner Innut Canacity Standard	650 pages 20 lb or 75 gem band	650 pages 20 lb or 75 gem band	1200 pages 20 lb or 75 gem band	
Paper Output Capacity, Standard Paper Output Capacity, Maximum ADF Paper Input Capacity, Maximum ADF Paper Input Capacity : Up to Redia Types Supported Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Flain Paper, Polyester Labels, Transparencies, Vinyl Labels, Refer to the Card Stock Budies Sizes Supported Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Flain Paper, Polyester Labels, Transparencies, Vinyl Labels, Refer to the Card Stock Budies Sizes Supported Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports Ethernet 10/1008aseTX (RJ-45), One Internal Card Stot, USB 2.0 Specification, X-HTML, PDF 1.6, Direct Image, Microsoft XPS (MIL Paper) Standard Ports Ethernet 10/1008aseTX (RJ-45), One Internal Card Stot, USB 2.0 Specification, Internal Services, Vista, Vista x64, Server 2003 running Terminal Services, Server 2003 x64, Server 2008 x64, Server 2008 running Terminal Services, Server 2003 x64 running Terminal Services, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services, Se		000 pages 20 lb 01 70 gsi ii borid		1200 pages 20 lb 01 73 gsi11 borid	
Paper Output Capacity, Maximum 550 pages 20 lb or 75 gsm bond ADF Paper Input Capacity: Up to 75 pages 20 lb or 75 gsm bond Media Types Supported Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Flain Paper, Polyester Labels, Transparencies, Vinyl Labels, Refer to the Card Stock Stable Guide Media Sizes Supported 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal Compatibility Network Protocol Support Printer Languages (Standard) PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Paper) Standard Ports Ethemet 10/1008aseTX (RJ-45), One Internal Card Stot, USB 2.0 Specification H-Speed Certified, USB port (Type A) compatible with USB 2.0 Specification) Standard Ports Ethemet 10/1008aseTX (RJ-45), One Internal Card Stot, USB 2.0 Specification (Type A) Microsoft Windows Operating Systems Supported 2000, XP, Sever 2003, XP X84, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x84 runnin					
ADF Paper Input Capacity: Up to Media Types Supported Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Pain Paper, Polyester Labels, Transparencies, Vinyl Labels, Refer to the Card Stock Budie Media Sizes Supported 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-85, Legal, Letter, Statement, Universal Compatibility Network Protocol Support Printer Languages (Standard) Standard Ports Ethernet 10/100BaseTX (PJ-45), One Internal Card Stot, USB 2.0 Specification, JIS-86, Legal, Capacity Willowship Compatible with USB 2.0 Specification (Front USB port Compatible with USB 2.0 Specification Services, Server 2003 x64, Server 2003 x64, Server 2008 x64, Server 2008 running Terminal Services, Server 2003 x64 running Terminal Services, Server 2008 running Terminal Services, Server 2008 running Terminal Services, Server 2008 run					
Media Types Supported Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Paper, Polyester Labels, Transparencies, Vinyl Labels, Refer to the Card Str. & Label Guide Media Sizes Supported 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal Compatibility 10 Envelope Type Pv4, IPX/SPX, AppleTak™, LexLink (DLO), TCP/IP IPv6, TCP, UDP Printer Languages (Standard) 10 Envelope, PcL 5e Emulation, PcL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Pap Specification) Standard Ports Ethernet 10/100BaseTX (RJ-45), One Internal Card Stot, USB 2.0 Specification H-Speed Certified, USB port (Type A) compatible with USB 2.0 Specification (Type A) Microsoft Windows Operating Systems Supported 2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services Apple Macintosh Operating Systems Supported Mac CS X, Mac CS 9,x Other Operating Systems Supported Mac CS X, Mac CS 9,x Other Operating Systems Supported Color Scanning, Copying, Faxing, Network Scanning, Printing Froduct Warranty Product Certifications www.lexmark.com Size (in H x W x D) 29.7 x 21.6 x 24.1 in. 29.7 x 21.6 x 24.1 in. 34.8 x 21.6 x 24.1 in. Weight (lb.)			550 pages 20 lb or 75 gsm bond		
Media Sizes Supported 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal Compatibility Network Protocol Support Printer Languages (Standard) PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Par Specification) Standard Ports Ethernet 10/100BaseTX (RJ-45), One Internal Card Slot, USB 2.0 Specification H-Speed Certified, USB port (Type A) compatible with USB 2.0 Specification (Type A) Microsoft Windows Operating Systems Supported Microsoft Windows Operating Systems Supported Apple Macintosh Operating Systems Supported Other Operating	ADF Paper Input Capacity : Up to		75 pages 20 lb or 75 gsm bond		
Media Sizes Supported 10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal Compatibility TCP/IP IPv4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, TCP, UDP Printer Languages (Standard) TCP/IP IPv4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, TCP, UDP Printer Languages (Standard) PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Par Specification) Standard Ports Ethemet 10/100BaseTX (RJ-45), One Internal Card Slot, USB 2.0 Specification HI-Speed Certified, USB port (Type A) compatible with USB 2.0 Specification (Type A) Microsoft Windows Operating Systems Supported 2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64 running Terminal Services, Server 2008 x64 runnin	Media Types Supported	Card Stock, Dual Web Labels, Envelopes, Integrated	Labels, Paper Labels, Plain Paper, Polyester Labels,	Transparencies, Vinyl Labels, Refer to the Card Sto	
Network Protocol Support Compatibility Network Protocol Support TCP/IP IPv4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, TCP, UDP Printer Languages (Standard) PCL 5e Emulation, Pcl 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Par Specification)			& Label Guide		
Network Protocol Support TCP/IP IPv4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6, TCP, UDP	Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 En	velope, A4, A5, DL Envelope, Executive, Folio, JIS-B5	i, Legal, Letter, Statement, Universal	
Printer Languages (Standard) PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Par Specification) Standard Ports Ethernet 10/100BaseTX (RJ-45), One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified, USB port (Type A) compatible with USB 2.0 Specification Front USB port Compatible with USB 2.0 Specification (Type A) Microsoft Windows Operating Systems Supported 2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services Apple Macintosh Operating Systems Supported Apple Macintosh Operating Systems Supported Other Operating Systems Supported Color Scanning, Copying, Faxing, Network Scanning, Printing Product Warranty Product Warranty 1-Year Onsite Service, Next Business Day Product Certifications Size (in H x W x D) 29.7 x 21.6 x 24.1 in. 29.7 x 21.6 x 24.1 in. 34.8 x 21.6 x 24.1 in. Weight (lb.)	Compatibility				
Printer Languages (Standard) PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, xHTML, PDF 1.6, Direct Image, Microsoft XPS (XML Par Specification) Standard Ports Ethernet 10/100BaseTX (RJ-45), One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified, USB port (Type A) compatible with USB 2.0 Specification Front USB port Compatible with USB 2.0 Specification (Type A) Microsoft Windows Operating Systems Supported 2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services, Server 2008 x64 running Terminal Services Apple Macintosh Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Color Scanning, Copying, Faxing, Network Scanning, Printing Product Warranty Product Warranty 1-Year Onsite Service, Next Business Day Product Certifications Size (in H x W x D) 29.7 x 21.6 x 24.1 in. 29.7 x 21.6 x 24.1 in. 34.8 x 21.6 x 24.1 in. Weight (lb.)	Network Protocol Support	TCP/IP IP	4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6,	TCP, UDP	
Specification) Standard Ports Ethemet 10/100BaseTX (RJ-45), One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified, USB port (Type A) compatible with USB 2.0 Specification Front USB port Compatible with USB 2.0 Specification (Type A) Microsoft Windows Operating Systems Supported 2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services, Server 2008 x64 running Terminal Services Apple Macintosh Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Color Scanning, Copying, Faxing, Network Scanning, Printing Product Warranty 1-Year Onsite Service, Next Business Day Product Certifications Size (in H x W x D) 29.7 x 21.6 x 24.1 in. 29.7 x 21.6 x 24.1 in. 34.8 x 21.6 x 24.1 in. Weight (lb.)	Printer Languages (Standard)				
Ethernet 10/100BaseTX (RJ-45), One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified, USB port (Type A) compatible with USB 2.0 Specification Front USB port Compatible with USB 2.0 Specification (Type A) Microsoft Windows Operating Systems Supported 2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services, Server 2008 x64 running Terminal Services Service Server 2008 x64 running Terminal Services Server 2008 x64 running Terminal Services Service	,			-, · - · · · · · , - · · · · · · · · · ·	
Front USB port Compatible with USB 2.0 Specification (Type A) Microsoft Windows Operating Systems Supported 2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services Apple Macintosh Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Www.lexmark.com General Function Color Scanning, Copying, Faxing, Network Scanning, Printing Product Warranty Product Certifications Size (in H x W x D) 29.7 x 21.6 x 24.1 in. 29.7 x 21.6 x 24.1 in. 34.8 x 21.6 x 24.1 in. Weight (lb.)	Standard Ports	Ethernet 10/100RaseTX (R.I-45), One Internal Card		nort (Tyne A) compatible with LISB 2.0 Specification	
Microsoft Windows Operating Systems Supported 2000, XP, Server 2003, XP x64, Server 2003 running Terminal Services, 2000 Server running Terminal Services, Server 2003 x64, Server 2003 x64 running Terminal Services, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services, Server 2003 x64 running Terminal Services, Server 2008 x64 running Terminal Services, Server 2003 x64 running Terminal Services, Server 2008 x64 running					
Terminal Services, Vista, Vista x64, Server 2008, Server 2008 x64, Server 2008 running Terminal Services, Server 2008 x64 running Terminal Services Apple Macintosh Operating Systems Supported Mac OS X, Mac OS 9,x Other Operating Systems Supported www.lexmark.com General Function Color Scanning, Copying, Faxing, Network Scanning, Printing Product Warranty 1-Year Onsite Service, Next Business Day Product Certifications www.lexmark.com Size (in H x W x D) 29.7 x 21.6 x 24.1 in. 29.7 x 21.6 x 24.1 in. 34.8 x 21.6 x 24.1 in. Weight (lb.)	Microsoft Windows Operating Systems Supported				
Apple Macintosh Operating Systems Supported Mac OS X, Mac OS 9.x Other Operating Systems Supported Www.lexmark.com General Function Color Scanning, Copying, Faxing, Network Scanning, Printing Product Warranty Product Certifications Size (in H x W x D) 29.7 x 21.6 x 24.1 in. Weight (lb.) Mac OS X, Mac OS 9.x Www.lexmark.com Scanning (Printing Printing Printing Printing Product Scanning (Printing Printing Product Scanning (Printing Product Scanning (Printing Product Scanning (Printing Printing Product Scanning (Printing Printing Product Scanning (Printing Printing Printing Printing Printing Product Scanning (Printing Printing Pr	microsoft windows Operating Systems Supported				
Other Operating Systems Supported www.lexmark.com General Color Scanning, Copying, Faxing, Network Scanning, Printing Product Warranty 1-Year Onsite Service, Next Business Day Product Certifications yww.lexmark.com Size (in H x W x D) 29.7 x 21.6 x 24.1 in. 34.8 x 21.6 x 24.1 in. Weight (lb.) 100 lb.		Terminal Services, Visia, Visia X04, Server 2006,	, Server 2006 x64, Server 2006 furilling Terminal Serv	ices, server 2006 x64 furifiling Terminal Services	
Other Operating Systems Supported www.lexmark.com General Color Scanning, Copying, Faxing, Network Scanning, Printing Product Warranty 1-Year Onsite Service, Next Business Day Product Certifications yww.lexmark.com Size (in H x W x D) 29.7 x 21.6 x 24.1 in. 34.8 x 21.6 x 24.1 in. Weight (lb.) 100 lb.	Apple Macintosh Operating Systems Supported		Mac OS X, Mac OS 9.x		
General Function Color Scanning, Copying, Faxing, Network Scanning, Printing Product Warranty 1-Year Onsite Service, Next Business Day Product Certifications www.lexmark.com Size (in H x W x D) 29.7 x 21.6 x 24.1 in. 34.8 x 21.6 x 24.1 in. Weight (lb.) 100 lb.					
Function Color Scanning, Copying, Faxing, Network Scanning, Printing Product Warranty 1-Year Onsite Service, Next Business Day Product Certifications www.lexmark.com Size (in H x W x D) 29.7 x 21.6 x 24.1 in. 29.7 x 21.6 x 24.1 in. 34.8 x 21.6 x 24.1 in. Weight (lb.) 100 lb.					
Product Warranty 1-Year Onsite Service, Next Business Day Product Certifications www.lexmark.com Size (in H x W x D) 29.7 x 21.6 x 24.1 in. 29.7 x 21.6 x 24.1 in. 34.8 x 21.6 x 24.1 in. Weight (lb.) 100 lb.		Cal	or Scanning Copying Faxing Network Scanning Prin	nting	
Product Certifications www.lexmark.com Size (in H x W x D) 29.7 x 21.6 x 24.1 in. 29.7 x 21.6 x 24.1 in. 34.8 x 21.6 x 24.1 in. Weight (lb.) 100 lb.					
Size (in H x W x D) 29.7 x 21.6 x 24.1 in. 29.7 x 21.6 x 24.1 in. 34.8 x 21.6 x 24.1 in. Weight (lb.) 100 lb.		+			
Weight (lb.) 100 lb.		00.704.004.4.5-		04.004.004.4.5	
	· · · · · · · · · · · · · · · · · · ·	∠⊎. / X ∠ I. O X ∠4. I III.		04.0 X Z 1.0 X Z 4.1 III.	

Maximum Monthly Duty Cycle

«Maximum Monthly Duty Cycle» is defined as the maximum number of pages a device could deliver in a month. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.


Recommended Monthly Page Volume

«Recommended Monthly Page Volume» is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

Radelinans
Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries.

All other trademarks are the property of their respective owners. PCL is a registered trademark of Hewlett-Packard Company. AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows logo, Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.

Lexmark X652de MFP




Part #	Model	
16M1260	Lexmark X652de MFP	
Part #	Laser Toner/Print Cartridge	
X651H11A X651A11A X651H04A X651H21A X651A21A	X65x High Yield Return Program Print Cartridge X65x Return Program Print Cartridge X65x High Yield Return Program Print Cartridge for Labels X65x High Yield Print Cartridge X65x Print Cartridge	_
Part #	Paper & Transparencies	
70X7240	Laser Printer Transparencies (Letter)	
Part #	Paper Handling	
30G0800 30G0802 30G0804 30G0871 30G0860	250-Sheet Drawer 550-Sheet Drawer 2000-Sheet High Capacity Feeder 200-Sheet Universally Adjustable Tray with Drawer 400-Sheet Universally Adjustable Tray with Drawer	
Part #	Furniture	
16M1216	MFP Caster Base	
Part #	Memory Options	
1025041 1025042 1025043 14F0245 14F0102 30G0828 30G0825 30G0826 30G0827	256MB DDR2-DRAM 512MB DDR2-DRAM 1024MB DDR2-DRAM 256MB Flash Card 80+GB Hard Disk Japanese Font Card Korean Font Card Simplified Chinese Font Card Traditional Chinese Font Card	
Part #	Application Solutions	
30G0829 16M1254 16M1253	Lexmark PrintCryption Card X65x Card for IPDS and SCS/TNe X65x Forms and Bar Code Card	
Part #	Connectivity	
1021294 1021231 14F0037 14F0042 14F0040	USB (2 Meter) Cable Parallel (10') Cable MarkNet N8120 Gigabit Ethernet Print Server MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server MarkNet N8130 Fiber Ethernet 100BaseFX, 10BaseFL Print Server MarkNet N8150 802.11b0/n Wireless Print Server	

Lexmark N4050e 802.11g Wireless Print Server MarkNet™ N7020e Gigabit Ethernet Print Server Parallel 1284-B Interface Card RS-232C Serial Interface Card 2-Years Total Onsite Service, Next Business Day 3-Years Total Onsite Service, Next Business Day 4-Years Total Onsite Service, Next Business Day 4-Years Total Onsite Service, Next Business Day 1-Year Total Onsite Service, Next Business Day 1-Year Onsite Service Renewal, Next Business Day 350539 350540 350541 350542 350543 User Replaceable Parts
T65x, X654e, X656e, X658e Fuser Maintenance Kit 110-120V 0X2665 Oil Fuser Winer Wax Fuser Wiper Dual Charge Roll Assembly Transfer Roll Assembly Pick Roll Assembly X65x ADF Maintenance Kit

Lexmark X651de: Print, copy and scan functions only, Part #16M1255

Lexmark X652de Multifunction Laser Printer, Up to 7,000*-page Return Program Print Cartridge, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), RJ-11 Phone cable or adapter (country dependent), Statement of limited warranty, Safety sheet or booklet, Lexmark Cartridge Collection Program Information, Safety stability sheet, Blue Angel sheet

Lexmark X656de MFP



Paper Handling Standard

Part #	Model	14F0042
16M1797	Lexmark X656de MFP	14F0040 14T0145
Part #	Laser Toner/Print Cartridge	14T0145
X654X11A X651H11A	X654, X656, X658 Extra High Yield Return Program Print Cartridge X65x High Yield Return Program Print Cartridge	14F0000 14F0100
X651A11A X654X04A	X65x Return Program Print Cartridge X654, X656, X658 Extra High Yield Return Program Print Cartridge for Labels	Part #
X651H04A X654X21A X651H21A X651A21A	X65x, Albo, AXDo AXDo Axda Ingil riled Nebul Frogram Print Cartridge for Labels X65x High Yield Return Program Print Cartridge for Labels X65x, K656 K658 Extra High Yield Print Cartridge X65x High Yield Print Cartridge X65x Print Cartridge	2350557 2350558 2350559 2350560 2350561
Part #	Paper & Transparencies	
70X7240	Laser Printer Transparencies (Letter)	Part # 40X4724
Part #	Paper Handling	40X4724 40X2665
30G0800 30G0802 30G0804 30G0871 30G0860	250-Sheet Drawer 550-Sheet Drawer 2000-Sheet High Capacity Feeder 200-Sheet Universally Adjustable Tray with Drawer 400-Sheet Universally Adjustable Tray with Drawer	40X2666 40X5852 40X1886 40X4308 40X4769
Part #	Furniture	
16M1216	MFP Caster Base	
Part #	Memory Options	
1025041 1025042 1025043 14F0245 30G0828 30G0825 30G0826 30G0827	256MB DDR2-DRAM 512MB DDR2-DRAM 1024MB DDR2-DRAM 256MB Flash Card Japanese Font Card Korean Font Card Simplified Chinese Font Card Traditional Chinese Font Card	
Part #	Application Solutions	
30G0829 16M1254 16M1253	Lexmark PrintCryption Card X65x Card for IPDS and SCS/TNe X65x Forms and Bar Code Card	

USB (2 Meter) Cable Parallel (10') Cable MarkNet N8120 Gigabit Ethernet Print Server


14F0042 14F0040 14T0145 14T0220 14F0000 14F0100 MarkNet N8130 Hiber Ethernet 1 UUbasel+X, 10Usas MarkNet N8150 802.11b(yn Wireless Print Server Lexmark N4050e 802.11g Wireless Print Server MarkNet™ N7020e Gigabit Ethernet Print Server Parallel 1284 B Interface Card RS-232C Serial Interface Card Extended Warranties
2-Years Total Onsite Service, Next Business Day
3-Years Total Onsite Service, Next Business Day
4-Years Total Onsite Service, Next Business Day 2350558 5-Years Total Onsite Service, Next Business Day 1-Year Onsite Service Renewal, Next Business Day 2350561 User Replaceable Parts Part # T65x, K564, K566e, K658e Fuser Maintenance Kit 110-120V Oil Fuser Wiper Wax Fuser Wiper Wax Fuser Wiper Dual Charge Roll Assembly Transfer Roll Assembly Pick Roll Assembly X65x ADF Maintenance Kit 40X4724 40X2665 40X2666 40X5852 40X1886

MarkNet N8130 Fiber Ethernet 100BaseEX, 10BaseEL Print Server

Lexmark X654de: Excludes 80GB hard disk, Part #16M1265

Lexmark X656de Multifunction Laser Printer, Up to 18,000*-page Return Program Print Cartridge, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), RJ-11 Phone cable or adapter (country dependent), Statement of limited warranty, Safety sheet or booklet, Lexmark Cartridge Collection Program Information, Safety stability sheet, Blue Angel sheet

Lexmark X656dte MFP



Part #	Model	14F0042
16M1270	Lexmark X656dte MFP	14F0040 14T0145
Part #	Laser Toner/Print Cartridge	14T0220
X654X11A	X654, X656, X658 Extra High Yield Return Program Print Cartridge	14F0000
X651H11A	X65x High Yield Return Program Print Cartridge	14F0100
X651A11A X654X04A	X65x Return Program Print Cartridge X654, X656, X658 Extra High Yield Return Program Print Cartridge for Labels	Part #
X651H04A	X65x High Yield Return Program Print Cartridge for Labels	2350557
X654X21A	X654, X656, X658 Extra High Yield Print Cartridge	2350558
X651H21A	X65x High Yield Print Cartridge	2350559
X651A21A	X65x Print Cartridge	2350560 2350561
Part #	Paper & Transparencies	
70X7240	Laser Printer Transparencies (Letter)	Part # 40X4724
Part #	Paper Handling	40X2665
30G0802	550-Sheet Drawer	40X2666
30G0800	250-Sheet Drawer	40X5852
30G0804 30G0871	2000-Sheet High Capacity Feeder 200-Sheet Universally Adjustable Tray with Drawer	40X1886 40X4308
30G0860	400-Sheet Universally Adjustable Tray with Drawer	40X4769
Part #	Furniture	
16M1216	MFP Caster Base	
Part #	Memory Options	
1025041	256MB DDR2-DRAM	
1025042	512MB DDR2-DRAM	
1025043 14F0245	1024MB DDR2-DRAM 256MB Flash Card	
30G0828	Japanese Font Card	
30G0825	Korean Font Card	
30G0826	Simplified Chinese Font Card	
30G0827	Traditional Chinese Font Card	
Part #	Application Solutions	
30G0829	Lexmark PrintCryption Card	
16M1254 16M1253	X65x Card for IPDS and SCS/TNe X65x Forms and Bar Code Card	
Part #	Connectivity	
1021294	USB (2 Meter) Cable	
1021231	Parallel (10') Cable	

In the box

Lexmark X656dte Multifunction Laser Printer, Additional 550-sheet drawer, Up to 18,000*-page Return Program Print Cartridge, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), RJ-11 Phone cable or adapter (country dependent), Statement of limited warranty, Safety sheet or booklet, Lexmark Cartridge Collection Program Information, Safety stability sheet, Blue Angel sheet

Lexmark's guarantee to you

Lexmark's 1-Year Onsite Service, Next Business Day warranty provides added peace of mind. Enhanced service offerings may be available by contacting your Lexmark representative or visiting www.lexmark.com. Optimize your printer's performance and investment value by using Original Lexmark Supplies, Service and Parts.



Environmental commitment

Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4H" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programs please visit www. lexmark.com/recycle

Cost-saving and environmental features

- Duplex models are Energy Star compliant
- Duplex printing, Print and Hold, multi-up and support of recycled paper help reduce paper consumption
- Eco-Mode reduces power consumption and Quiet Mode reduces noise
- High Yield Cartridges and Lexmark Cartridge Collection Program help reduce waste



